

Round Front - 1.28GPF - 3" Flush Toilet

PREMIUM FEATURES

- High Performance, Siphon Jet Gravity Flush System
- Standard Left-Hand Trip Lever
- 15-1/4" (386mm) Rim Height
- Large Water Surface
- 1.28 Gallons Per Flush (GPF) (4.8LPF)
- 2" Wide Fully Glazed Trapway
- Material: Vitreous China Tank & Bowl
- Fluidmaster Flush Valve Kit 
 - 400A fill valve
 - 540AH flush valve
 - White handle
 - Solid brass hardware including 2 brass bolts (3") + 2 brass nuts + 2 pcs brass washers + 2 pcs rubber washers

SPECIFICATIONS

- Water Use: 1.28GPF/4.8LPF
- Trap Diameter: 2"
- Rough-in: 12"
- Trap Seal: 2"
- Min. Water Pressure: 28 PSI
- Water Surface: 8-5/8" x 6-7/8"

CODES/STANDARDS

- ANSI/ASME A112.19.2M / CAN/CSA B-45
- MAP Rating: Exceeds 1000 grams per flush
- Approval: cUPC
- Trap Seal: 2"
- EPA WaterSense®




TANK MODEL
#1231-0112-WH

BOWL MODEL
#1232-R01-WH

Toilet Seat Not Included


TOILET DIMENSIONS

A. WIDTH	17-7/8"
B. WIDTH	14-3/8"
C. DEPTH	27-3/8"
D. DEPTH	16-1/2"
E. HEIGHT	30-1/8"
F. HEIGHT	15-3/4"



Toilet seat is not included

Size: 27-3/8" x 17-7/8" x 30-1/8"



Elongated - 1.28 GPF - 3" Flush Toilet

PREMIUM FEATURES

- High Performance, Siphon Jet Gravity Flush System
- Standard Left-Hand Trip Lever
- 15-1/4" (386mm) Rim Height
- Large Water Surface
- 1.28 Gallons Per Flush (GPF) (4.8LPF)
- 2" Wide Fully Glazed Trapway
- Material: Vitreous China Tank & Bowl
- Fluidmaster Flush Valve Kit  **Fluidmaster.**
 - 400A fill valve
 - 540AH flush valve
 - White handle
 - Solid brass hardware including 2 brass bolts (3") + 2 brass nuts + 2 pcs brass washers + 2 pcs rubber washers

SPECIFICATIONS

- Water Use: 1.28GPF/4.8LPF
- Trap Diameter: 2"
- Rough-in: 12"
- Trap Seal: 2"
- Min. Water Pressure: 28 PSI
- Water Surface: 8-5/8" x 6-7/8"

CODES/STANDARDS

- ANSI/ASME A112.19.2M / CAN/CSA B-45
- MAP Rating: Exceeds 1000 grams per flush
- Approval: cUPC
- Trap Seal: 2"
- EPA WaterSense®




TANK MODEL
#1231-0112-WH

BOWL MODEL
#1232-E01-WH

Toilet Seat Not Included


TOILET DIMENSIONS

A. WIDTH	17-7/8"
B. WIDTH	14-5/8"
C. DEPTH	29"
D. DEPTH	18-1/2"
E. HEIGHT	30"
F. HEIGHT	15-3/4"



Toilet seat is not included

Size: 29" x 17-7/8" x 30"



VITREOUS CHINA

ADA Elongated - 1.28 GPF - 3" Flush Toilet

PREMIUM FEATURES

- High Performance, Siphon Jet Gravity Flush System
- Standard Left-Hand Trip Lever
- 16-1/2" (420mm) Rim Height
- Large Water Surface
- 1.28 Gallons Per Flush (GPF) (4.8LPF)
- 2" Wide Fully Glazed Trapway
- Material: Vitreous China Tank & Bowl
- Fluidmaster Flush Valve Kit 
 - 400A fill valve
 - 540AH flush valve
 - White handle
 - Solid brass hardware including 2 brass bolts (3") + 2 brass nuts + 2 pcs brass washers + 2 pcs rubber washers

SPECIFICATIONS

- Water Use: 1.28GPF/4.8LPF
- Trap Diameter: 2"
- Rough-in: 12"
- Trap Seal: 2"
- Min. Water Pressure: 28 PSI
- Water Surface: 8-5/8" x 6-7/8"

CODES/STANDARDS

- ANSI/ASME A112.19.2M / CAN/CSA B-45
- MAP Rating: Exceeds 1000 grams per flush
- Approval: cUPC
- Trap Seal: 2"
- EPA WaterSense®




TANK MODEL
#1231-0112-WH

BOWL MODEL
#1232-EA01-WH

Toilet Seat Not Included

TOILET DIMENSIONS

A. WIDTH	17-7/8"
B. WIDTH	14-5/8"
C. DEPTH	29"
D. DEPTH	18-1/2"
E. HEIGHT	31-1/4"
F. HEIGHT	17"



Toilet seat is not included Size: 29" x 17-7/8" x 31-1/4"